

	Type	L #	Hits	Search Text
1	BRS	L3	0	2 and (sensor detector transducer)
2	BRS	L4	0	1 and (sensor detector transducer)
3	BRS	L1	13	"6622377" "6575535" "6574865" "6485187" "6408669"
4	BRS	L5	177651	bearing.clm.
5	BRS	L6	14665	5 and (seal).clm.
6	BRS	L7	755	6 and (sensor detector transducer).clm.
7	BRS	L8	53	7 and (spindle).clm.
8	BRS	L9	16	8 and (hub).clm.
9	BRS	L10	3	9 and (roller).clm.
10	BRS	L11	1461	5 and (inboard).clm.
11	BRS	L12	1016	11 and (outboard).clm.
12	BRS	L13	33	12 and (sensor detector transducer).clm.
13	BRS	L15	1	14 and (hub).clm.
14	BRS	L14	4	13 and (spindle).clm.
15	BRS	L16	3	14 and (hub)
16	BRS	L17	19824	bearing near2 seal
17	BRS	L18	887	17 and (sensor detector transducer).clm.
18	BRS	L19	51	18 and (spindle).clm.
19	BRS	L20	29	19 and (hub)
20	BRS	L21	5	20 and (roller)

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comm nts</b>	<b>Error Definition</b>	<b>Errors</b>
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:46			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:45			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:46			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:46			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:46			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:04			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:49			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:49			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:52			0
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:48			0
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:49			0
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:49			0
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:49			0
14	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:52			0
15	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:52			0
16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:51			0
17	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:51			0
18	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:52			0
19	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 10:52			0
20	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:03			0

	Type	L #	Hits	S arch Text
21	BRS	L22	970323	inboard near3 bearing seal
22	BRS	L23	969918	22 and outboard near3 bearing seal
23	BRS	L24	129	inboard near3 bearing near3 seal
24	BRS	L25	37	24 and outboard near3 bearing near3 seal
25	BRS	L27	9	26 and roll\$4
26	BRS	L29	3	28 and (temperature)
27	BRS	L28	9	27 and (raceway)
28	BRS	L2	4	1 and (seal)
29	BRS	L26	13	25 and (sensor detector transducer)

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
21	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:03			0
22	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:03			0
23	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:03			0
24	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:03			0
25	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:04			0
26	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:05			0
27	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:17			0
28	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:25			0
29	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/08 11:25			0